

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

AUG 2 5 1999

Mr. Daniel Hamilton Manager, Device Regulatory Affairs Ross Products Division Abbott Laboratories 625 Cleveland Avenue Columbus, OH 43215 Re: K992494

Flexiflo/ROSS Enteral Feeding Tube

Dated: July 23, 1999 Received: July 26, 1999 Regulatory Class: II

21 CFR §876.5980/Procode: 78 KNT

Dear Mr. Hamilton:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the <u>Code of Federal Regulations</u>, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification"(21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597, or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours

CAPT Daniel G. Schultz, M.D.

Acting Director, Division of Reproductive, Abdominal, Ear, Nose and Throat,

and Radiological Devices
Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

Ross Products Division Abbott Laboratories Premarket Notification Information K 992494

VIII. INDICATIONS FOR USE

The Flexiflo/ROSS Enteral Feeding Tube is intended for nasoenteric placement into the stomach or small bowel. The tube functions as a conduit to facilitate enteral feeding, and may be used in pediatric, adult or elderly patients who cannot consume an adequate diet orally. This device is also indicated for small bowel feeding of patients with a functioning gut who require short- to moderate-term feeding support, such as post-trauma patients, post-surgical patients, burn patients, general trauma patients, high-risk patients prone to tube misplacement complications, and patients in whom malnutrition exists, or may result, secondary to an underlying disease or condition. The tube may also be used for gastric decompression or evacuation of gastric contents.

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use		OR	Over-The-Counter Use	
(Per 21 CFR 80	)1.109)		1 2	
,		Jan	Ia. Sysm	
	(D)	vision Sig	n-Off) <b>1</b>	

Division of Reproductive, Abdominal, ENT, and Radiological Devices

510(k) Number <u>19924 44</u>